


Model: DUS-5GP-25
Series: DIANA



**5 Port Full 2.5G Switch Unmanaged Network PoE Switch
With 60W PoE Budget**



Introducing the AADONA Diana Series 2.5G High Performance Un-managed PoE Switches: Empowering Your High Bandwidth Applications

AADONA, a trusted Indian brand renowned for its cutting-edge technology and commitment to excellence, proudly presents the Diana Series 2.5G High Performance Un-managed PoE Switches. Our brand is recognized by the Government of India under the Department for Promotion of Industry and Internal Trade (DPIIT), and we hold the prestigious ISO-9001, ISO-14001, and ISO-27001 certifications, ensuring the highest standards of quality, environmental responsibility, and information security.

Designed specifically to meet the demands of modern IT infrastructures, the AADONA Diana Series 2.5G High Performance Un-managed PoE Switches provide a reliable and efficient solution for high bandwidth applications. These switches are engineered to handle the ever-increasing data requirements of today's businesses, enabling seamless connectivity and enhanced performance.

FEATURES

High-Speed Connectivity: With 2.5Gbps data transfer capabilities, the AADONA Diana Series switches deliver ultra-fast connectivity for your high bandwidth applications. Experience lightning-fast speeds that ensure smooth data transmission and reduced network congestion.

Unmanaged Simplicity: The unmanaged nature of these switches makes them incredibly easy to set up and use. Simply plug in your devices, and the switches will automatically detect and optimize the network connections, freeing you from complex configurations.

Robust Stability: AADONA products are known for their stability, and the Diana Series 2.5G switches are no exception. Designed to operate flawlessly even under heavy workloads, these switches provide a stable and reliable network infrastructure that you can count on.

Scalability and Flexibility: Whether you need to expand your network or connect multiple devices, the AADONA Diana Series switches offer excellent scalability. The 5-port DUS-5GP-25 switch is an ideal choice, providing ample connectivity options to meet your requirements.

Made in India: AADONA takes pride in offering high-quality products that are manufactured in India. By choosing AADONA, you not only benefit from superior technology but also contribute to the growth of the Indian manufacturing industry.

At AADONA, we understand that your IT infrastructure needs are unique. That's why our Diana Series 2.5G High Performance Un-managed PoE Switches are designed to deliver exceptional performance, stability, and scalability. Upgrade your network with AADONA and experience the difference in quality and reliability.

Choose AADONA Diana Series 2.5G High Performance Un-managed PoE Switches for a seamless, high-speed network experience. Trust in AADONA to power your business's connectivity needs.

SPECIFICATIONS

| | |
|-----------------------------------|---|
| Model | DUS-5GP-25 |
| Product | 5 Port Full 2.5G PoE Switch |
| Fixed Port | 5*10M/100M/1000M/2.5G RJ45 PoE port |
| Network protocol | IEEE 802.3/U、IEEE 802.3ab、IEEE 802.3bz、IEEE 802.3x |
| Port Specification | 10M/100M/1000M/2.5G Auto |
| Packet Buffer | up to 12Mbit |
| Jumbo frame | up to 12KB |
| Bandwidth | 25Gbps |
| Packet Forwarding | 18.6Mpps |
| MAC Address | 16K |
| Transmission Distance | 10BASE-T : Cat3,4,5 UTP(≤250 meter) 100BASE-TX : Cat5 or later UTP(150 meter) 2500/1000BASE-TX : Cat6 or later UTP(150 meter) |
| LED Indicator | PWR:Power LED Port:10M//100 LED(Right green); 1G LED(Left Green); 2.5G LED(Left orange) |
| Operating Temperature/Humidity | -10 ~ +55°C ; 5% ~ 90% RH Non condensation |
| Storage Temperature/Humidity | -40 ~ +75°C ; 5% ~ 95% RH Non condensation |
| Power | DC 48 volt input |
| Maximum POE Budget | 60W |
| PoE Standard | IEEE802.3af/at |
| Product size/Packing size (L*W*H) | 160mm*112mm*31mm 193mm*131mm*91mm |
| N.W/G.W (kg) | 0.57kg/0.92kg |
| Installation | Desktop (optional wall+machine hanging kit) |
| Lightning protection level | 6KV 8/20us ; IP30 |
| Certificate | CE mark, commercial ; CE/LVD EN60950 ; RoHS ; |
| Warranty | Whole device for 3 years(Accessories not included) |



AADONA Communication Pvt Ltd

Corporate Headquarters

1st Floor, Phoenix Tech Tower, Plot No.14/46,
IDA-Uppal, Hyderabad, Telangana 500039
www.aadona.com
Toll Free No. : 1800 202 6599
contact@aadona.com

AADONA Communication Pvt Ltd

Production, Warehousing and Billing Center

7, SBI Colony, Mohaba Bazar, Hirapur Road,
Raipur Chhattisgarh, 492099
www.aadona.com
Toll Free No. : 1800 202 6599
contact@aadona.com

AADONA and AADONA logo are trademarks of AADONA Communication Pvt Ltd Printed in India